



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—										
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
Port of Spain	Apr. 6		26	6						1		1		
Port Said	Mar. 25	52,811	22	2								1		
Prague	Mar. 30	225,204	90	17						1		2	2	1
Do	Apr. 6		86	12								2	4	
Rangoon	Mar. 23	293,316	177	3	14	3		12						
Rio de Janeiro	Mar. 2	921,987	381	66						4		1	2	5
Do	Mar. 9		349	66									5	
Do	Mar. 16		353	59						1			3	5
Rotterdam	Apr. 13	438,774	99									1		
Saigon	Mar. 18	220,000				16								
St. John, N. B.	Apr. 20	40,711	27									1		
St. Petersburg	Mar. 30	907,708	812	141				8		11	16	8	16	9
San Luis Potosi	Feb. 17	82,476	35	3						4				
Do	Feb. 24		57	3				1		2				1
Santa Cruz de Tenerife	Apr. 6	46,000	12	2				1						
Santiago de Cuba	do	53,614	23	2						1				
Do	Apr. 13		23							1				
Santos	Jan. 28	85,000	81	7									1	1
Do	Feb. 10													
Do	Feb. 24		77	2					1					1
Do	Mar. 2		36	10						1				
Shanghai	Mar. 24	500,000	194	21							6	4	35	
Singapore	Mar. 9	303,328	172	27						2				
Do	Mar. 16		175	30	1									
Southampton	Apr. 13	120,891	33	1										3
Stettin	Apr. 6	240,000	64	4								1	2	2
Stockholm	Mar. 30	343,832	106	21									2	2
Do	Apr. 6		114	18								2	4	2
Stoke-on-Trent	Apr. 13	217,153	53	3							1			
Swansea	Mar. 30	117,150	35	5								1	1	4
Do	Apr. 6		33	1							1	1	1	
Do	Apr. 13		29	2									1	
Trieste	Mar. 30	232,822	103									1		
Do	Apr. 6	235,999	105										2	2
Tripoli-in-Barbary	Apr. 7	50,000	72	4					1	8				
Turin	Apr. 14	430,770	141	13						2		2	1	2
Valencia	Apr. 6	235,000	90	3				1						
Do	Apr. 13		92	4										
Vancouver	do	110,000	19									1	1	
Do	Apr. 20		21	2										1
Vienna	Mar. 30	2,064,583	712	125						1	4	7	8	4
Warsaw	Feb. 24	797,093	250	28				2			7		2	1
Winnipeg	Apr. 20	151,958	63	3							4	1	1	
Yokohama	Apr. 8	444,039										1		

MORTALITY—FOREIGN AND INSULAR COUNTRIES AND CITIES
(Untabulated).

ALGERIA—*Algiers*.—Month of March, 1912. Population, 172,397. Total number of deaths from all causes 361, including diphtheria 3, tuberculosis 72, typhoid fever 3.

FRANCE—*Marseille*.—Month of March, 1912. Population, 550,619. Total number of deaths from all causes 879, including diphtheria 3, smallpox 1, tuberculosis 164, typhoid fever 8.

Roubaix.—Month of March, 1912. Population, 122,723. Total number of deaths from all causes 175, including diphtheria 2, scarlet fever 1, tuberculosis 27.

GREAT BRITAIN.—Week ended April 6, 1912.

England and Wales.—The deaths registered in 95 great towns correspond to an annual rate of 14 per 1,000 of the population, which is estimated at 17,639,830.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 20.9 per 1,000 of the population, which is estimated at 1,157,014. The lowest rate was recorded at Queenstown, viz, 6.6, and the highest at Wexford, viz, 36.4 per 1,000.

INDIA—*Rangoon.*—Month of February, 1912. Population, 293,316. Total number of deaths from all causes 878, including cholera 16, smallpox 28, tuberculosis 31, typhoid fever 3.

ITALY—*Florence.*—Month of March, 1912. Population, 239,295. Total number of deaths from all causes 335, including diphtheria 3, measles 24, tuberculosis 43, typhoid fever 1.

JAPAN—*Formosa.*—Two weeks ended March 9, 1912. Population, 3,341,217. Total number of deaths from all causes not reported. The deaths include diphtheria 4, typhoid fever 6.

PORTUGUESE EAST AFRICA—*Lourenço Marquez.*—Month of December, 1911. Population, 10,000. Total number of deaths from all causes 48, including tuberculosis 12, typhoid fever 2.

SOUTH AFRICA—*Johannesburg.*—Two weeks ended March 23, 1912. Population, 237,220. Total number of deaths from all causes 171, including diphtheria 2, tuberculosis 26, typhoid fever 10.

SPAIN—*Cadiz.*—Month of March, 1912. Population, 67,306. Total number of deaths from all causes 203, including smallpox 2, tuberculosis 27, typhoid fever 1.

Seville.—Month of March, 1912. Population, 158,235. Total number of deaths from all causes 377, including diphtheria 2, measles 1, smallpox 2, tuberculosis 70, typhoid fever 1.

By authority of the Secretary of the Treasury:

RUPERT BLUE,

Surgeon General,

United States Public Health and Marine-Hospital Service.

ADDITIONAL COPIES of this publication
may be procured from the SUPERINTEND-
ENT OF DOCUMENTS, Government Printing
Office, Washington, D. C., at 5 cents per copy

Subscription price, per volume - - - \$2

